

Example of a RDF/XML File of MMHMAP Terminologies Registered on an Ontology Registry (xdomes.org/ont)

```
<?xml version="1.0"?>
<rdf:RDF
  xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
  xmlns:owl="http://www.w3.org/2002/07/owl#"
  xmlns:j_0="http://mmisw.org/ont/mmi/20081020/ontologyMetadata/"
  xmlns:omv="http://omv.ontoware.org/2005/05/ontology#"
  xmlns="https://xdomes.org/ont/mmhmmap/lab_procedures/"
  xmlns:rdfs="http://www.w3.org/2000/01/rdf-schema#"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema#"
  xml:base="https://xdomes.org/ont/mmhmmap/lab_procedures" >
  <rdf:Description rdf:about="https://xdomes.org/ont/mmhmmap/lab_procedures/microalbumin">
    <Reference rdf:resource="https://www.ncbi.nlm.nih.gov/pubmed/15538104"/>
    <Definition>increased excretion rate of albumin in the urine in the range of 30-299 mg/g
creatinine</Definition>
    <Category>Urinalysis</Category>
    <Vocabulary>Microalbumin</Vocabulary>
    <rdf:type rdf:resource="https://xdomes.org/ont/mmhmmap/lab_procedures/varTerm"/>
  </rdf:Description>
  <rdf:Description rdf:about="https://xdomes.org/ont/mmhmmap/lab_procedures/urobilinogen">
    <Reference rdf:resource="http://www.merriam-webster.com/medical/urobilinogen"/>
    <Definition>any of several chromogens that are reduction products of bilirubin and yield urobilins on
oxidation</Definition>
    <Category>Urinalysis</Category>
    <Vocabulary>Urobilinogen</Vocabulary>
    <rdf:type rdf:resource="https://xdomes.org/ont/mmhmmap/lab_procedures/varTerm"/>
  </rdf:Description>
  <rdf:Description rdf:about="https://xdomes.org/ont/mmhmmap/lab_procedures/ketones">
    <Reference rdf:resource="http://www.merriam-webster.com/dictionary/ketones"/>
    <Definition>any of a class of organic compounds (as acetone) characterized by a carbonyl group
attached to two carbon atoms</Definition>
    <Category>Urinalysis</Category>
    <Vocabulary>Ketones</Vocabulary>
    <rdf:type rdf:resource="https://xdomes.org/ont/mmhmmap/lab_procedures/varTerm"/>
  </rdf:Description>
  <rdf:Description rdf:about="https://xdomes.org/ont/mmhmmap/lab_procedures/trematode">
    <Reference rdf:resource="http://www.dictionary.com/browse/trematode"/>
    <Definition>any parasitic platyhelminth or flatworm of the class Trematoda, having one or more
external suckers; fluke.</Definition>
    <Category>Parasitology</Category>
    <Vocabulary>Trematode</Vocabulary>
    <rdf:type rdf:resource="https://xdomes.org/ont/mmhmmap/lab_procedures/varTerm"/>
  </rdf:Description>
  <rdf:Description rdf:about="https://xdomes.org/ont/mmhmmap/lab_procedures/parafilaroides_sp">
```

<Reference rdf:resource="http://medical-dictionary.thefreedictionary.com/Parafilaroides"/>
<Definition>a genus of nematodes in the metastrongyloid family Filaroididae; cause lesions in the lungs of aquatic mammals. Includes *P. decorus* (sealions), *P. gymnurus* (harbor seals), *P. nanus* and *P. prolificus* (Stellar's sealion).</Definition>
<Category>Parasitology</Category>
<Vocabulary>Parafilaroides sp</Vocabulary>
<rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/nitrite">
<Reference rdf:resource="http://www.merriam-webster.com/dictionary/nitrite"/>
<Definition>a salt or ester of nitrous acid</Definition>
<Category>Urinalysis</Category>
<Vocabulary>Nitrite</Vocabulary>
<rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/calcium">
<Reference rdf:resource="http://www.dictionary.com/browse/calcium"/>
<Definition>a silver-white divalent metal, occurring combined in limestone, chalk, gypsum, etc., occurring also in vertebrates and other animals, as a component of bone, skeletal mass, shell, etc., and as a necessary element in nerve conduction, heartbeat, muscle contraction, and many other physiological functions. Symbol: Ca; atomic weight: 40.08; atomic number: 20; specific gravity: 1.55 at 20°C.</Definition>
<Category>Urinalysis</Category>
<Vocabulary>Calcium</Vocabulary>
<rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/bun">
<Reference rdf:resource="http://medical-dictionary.thefreedictionary.com/BUN"/>
<Definition>blood urea nitrogen</Definition>
<Category>Urinalysis</Category>
<Vocabulary>BUN</Vocabulary>
<rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/bacteria">
<Reference rdf:resource="http://www.dictionary.com/browse/bacteria"/>
<Definition>ubiquitous one-celled organisms, spherical, spiral, or rod-shaped and appearing singly or in chains, comprising the Schizomycota, a phylum of the kingdom Monera (in some classification systems the plant class Schizomycetes), various species of which are involved in fermentation, putrefaction, infectious diseases, or nitrogen fixation.</Definition>
<Category>Urinalysis</Category>
<Vocabulary>Bacteria</Vocabulary>
<rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/halocercus_sp">
<Reference rdf:resource="https://www.ncbi.nlm.nih.gov/pubmed/8355360"/>
<Definition>Three cetaceans from Monterey Bay, California (USA), were infected with lung nematodes. A beaked whale calf, *Mesoplodon* sp. was infected with adult *Halocercus* sp. This represents a new host record for this nematode. The lungs of a northern right whale dolphin calf, *Lissodelphis*

borealis, contained an unidentified nematode similar in size to Halocercus sp. The presence of Phyllobothrium delphini-type cestode larvae in its blubber is evidence that the calf was feeding on invertebrates. A pregnant harbor porpoise, Phocoena phocoena was infected with the lung nematode H. invadinatus, but the fetus was uninfected. We found no direct evidence of a transplacental mode of transmission for Halocercus sp.</Definition>

<Category>Parasitology</Category>
<Vocabulary>Halocercus sp</Vocabulary>
<rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/tco2">
<Reference rdf:resource="http://medical-dictionary.thefreedictionary.com/T+CO2"/>
<Definition>total carbon dioxide content of a plasma sample; equivalent to bicarbonate plus carbonic acid.</Definition>
<Category>Urinalysis</Category>
<Vocabulary>TCO2</Vocabulary>
<rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/protozoa">
<Reference rdf:resource="http://www.dictionary.com/browse/protozoan"/>
<Definition>any of a diverse group of eukaryotes, of the kingdom Protista, that are primarily unicellular, existing singly or aggregating into colonies, are usually nonphotosynthetic, and are often classified further into phyla according to their capacity for and means of motility, as by pseudopods, flagella, or cilia.</Definition>
<Category>Parasitology</Category>
<Vocabulary>Protozoa</Vocabulary>
<rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/dirofilaria_sp">
<Reference rdf:resource="http://medical-dictionary.thefreedictionary.com/dirofilariasis"/>
<Definition>infection with nematodes of the genus *Dirofilaria*; it is common in dogs and occasionally seen in humans, causing symptoms such as coughing, chest pain, and sometimes hemoptysis.</Definition>
<Category>Parasitology</Category>
<Vocabulary>Dirofilaria sp</Vocabulary>
<rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/stenurus_sp">
<Category>Parasitology</Category>
<Vocabulary>Stenurus sp</Vocabulary>
<rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/Category">
<rdf:type rdf:resource="http://www.w3.org/1999/02/22-rdf-syntax-ns#Property"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/acanthcheilonema">
<Reference rdf:resource="http://medical-dictionary.thefreedictionary.com/Dipetalonema+spirocauda"/>
<Definition>a genus of nematode parasites of the superfamily Filarioidea, including *D. perstans* and

D. streptocer?ca, species primarily parasitic in man, other primates serving as reservoir hosts.</Definition>

<Category>Parasitology</Category>

<Vocabulary>Acanthcheilonema (Dipetalonema) spirocauda</Vocabulary>

<rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>

</rdf:Description>

<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/apicomplexa">

<Reference rdf:resource="http://www.thefreedictionary.com/Apicomplexa"/>

<Definition>Any of a phylum (Apicomplexa) of protozoans that have a group of organelles and other structures located in the apical end of the cell. Apicomplexans are parasitic in animals and include the organisms that cause malaria and toxoplasmosis.</Definition>

<Category>Parasitology</Category>

<Vocabulary>Apicomplexa</Vocabulary>

<rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>

</rdf:Description>

<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/Definition">

<rdf:type rdf:resource="http://www.w3.org/1999/02/22-rdf-syntax-ns#Property"/>

</rdf:Description>

<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/microfilaria">

<Reference rdf:resource="http://www.dictionary.com/browse/microfilaria"/>

<Definition>the embryonic larva of the nematode parasite Filaria or of related genera, especially of those species that cause heartworm in dogs and elephantiasis in humans.</Definition>

<Category>Parasitology</Category>

<Vocabulary>Microfilaria</Vocabulary>

<rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>

</rdf:Description>

<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/bilirubin">

<Reference rdf:resource="http://www.merriam-webster.com/dictionary/bilirubin"/>

<Definition>a reddish-yellow water insoluble pigment occurring especially in bile and blood and causing jaundice if accumulated in excess</Definition>

<Category>Urinalysis</Category>

<Vocabulary>Bilirubin</Vocabulary>

<rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>

</rdf:Description>

<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/creatinine">

<Reference rdf:resource="http://www.merriam-webster.com/dictionary/creatinine"/>

<Definition>a white crystalline strongly basic compound C₄H₇N₃O formed from creatine and found especially in muscle, blood, and urine</Definition>

<Category>Urinalysis</Category>

<Vocabulary>Creatinine</Vocabulary>

<rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>

</rdf:Description>

<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/chloride">

<Reference rdf:resource="http://www.merriam-webster.com/dictionary/chloride"/>

<Definition>a compound of chlorine with another element or group; especially : a salt or ester of hydrochloric acid</Definition>

<Category>Urinalysis</Category>

<Vocabulary>Chloride</Vocabulary>

```
<rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/cestode">
  <Reference rdf:resource="http://www.dictionary.com/browse/cestode"/>
  <Definition>a parasitic platyhelminth or flatworm of the class Cestoda, whichcomprises the tapeworms.</Definition>
  <Category>Parasitology</Category>
  <Vocabulary>Cestode</Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/epithelial_cells">
  <Reference rdf:resource="http://medical-dictionary.thefreedictionary.com/epithelial+cell"/>
  <Definition>any one of several cells arranged in one or more layers that form part of a covering or lining of a body surface</Definition>
  <Category>Urinalysis</Category>
  <Vocabulary>Epithelial Cells</Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description
  rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/diphyllobothrium_latum">
  <Reference rdf:resource="http://medical-dictionary.thefreedictionary.com/Diphyllobothrium"/>
  <Definition>a genus of large tapeworms. D. latum is the broad or fish tapeworm, an intestinal parasite of humans, dogs, cats, and otherfish-eating mammals.</Definition>
  <Category>Parasitology</Category>
  <Vocabulary>Diphyllobothrium latum </Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/arthropod">
  <Reference rdf:resource="http://www.merriam-webster.com/dictionary/arthropod"/>
  <Definition>any of a phylum (Arthropoda) of invertebrate animals (as insects, arachnids, and crustaceans) that have a segmented body and jointed appendages, a usually chitinous exoskeleton molted at intervals, and a dorsal anterior brain connected to a ventral chain of ganglia</Definition>
  <Category>Parasitology</Category>
  <Vocabulary>Arthropod</Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/anion_gap">
  <Reference rdf:resource="https://en.wikipedia.org/wiki/Anion_gap"/>
  <Definition>is the difference in the measured cations (positively charged ions) and the measured anions(negatively charged ions) in serum, plasma, or urine</Definition>
  <Category>Urinalysis</Category>
  <Vocabulary>Anion Gap</Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/heme">
  <Reference rdf:resource="http://www.merriam-webster.com/dictionary/heme"/>
  <Definition>the deep red iron-containing prosthetic group C34H32N4O4Fe of hemoglobin and myoglobin</Definition>
```

<Category>Urinalysis</Category>
<Vocabulary>Heme</Vocabulary>
<rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/dirofilaria_immitis">
<Reference rdf:resource="http://www.merriam-webster.com/dictionary/heartworm"/>
<Definition>a filarial worm (*Dirofilaria immitis*) that is a parasite especially in the right heart of dogs and is transmitted by mosquitoes; also : infestation or disease caused by the heartworm</Definition>
<Category>Parasitology</Category>
<Vocabulary>Dirofilaria immitis</Vocabulary>
<rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/trichinella">
<Reference rdf:resource="http://www.dictionary.com/browse/trichinella"/>
<Definition>A genus of parasitic nematodes, including the species *Trichinella spiralis*, which causes trichinosis.</Definition>
<Category>Parasitology</Category>
<Vocabulary>Trichinella</Vocabulary>
<rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/ph">
<Reference rdf:resource="http://www.merriam-webster.com/dictionary/pH"/>
<Definition>a measure of acidity and alkalinity of a solution that is a number on a scale on which a value of 7 represents neutrality and lower numbers indicate increasing acidity and higher numbers increasing alkalinity and on which each unit of change represents a tenfold change in acidity or alkalinity and that is the negative logarithm of the effective hydrogen-ion concentration or hydrogen-ion activity in gram equivalents per liter of the solution</Definition>
<Category>Urinalysis</Category>
<Vocabulary>pH</Vocabulary>
<rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/glucose">
<Reference rdf:resource="http://www.merriam-webster.com/dictionary/glucose"/>
<Definition>a crystalline sugar C₆H₁₂O₆; specifically : the sweet colorless soluble dextrorotatory form that occurs widely in nature and is the usual form in which carbohydrate is assimilated by animals</Definition>
<Category>Urinalysis</Category>
<Vocabulary>Glucose</Vocabulary>
<rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/ascarid">
<Reference rdf:resource="http://www.merriam-webster.com/dictionary/ascarid"/>
<Definition>any of a family (Ascaridae) of nematode worms that includes the common roundworm (*Ascaris lumbricoides*) parasitic in the human intestine</Definition>
<Category>Parasitology</Category>
<Vocabulary>Ascarid </Vocabulary>
<rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>

```
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/color">
  <Reference rdf:resource="http://www.merriam-webster.com/dictionary/color"/>
  <Definition>a phenomenon of light (as red, brown, pink, or gray) or visual perception that enables one to differentiate otherwise identical objects</Definition>
  <Category>Urinalysis</Category>
  <Vocabulary>Color</Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/protein">
  <Reference rdf:resource="http://www.merriam-webster.com/dictionary/protein"/>
  <Definition>any of various naturally occurring extremely complex substances that consist of amino-acid residues joined by peptide bonds, contain the elements carbon, hydrogen, nitrogen, oxygen, usually sulfur, and occasionally other elements (as phosphorus or iron), and include many essential biological compounds (as enzymes, hormones, or antibodies)</Definition>
  <Category>Urinalysis</Category>
  <Vocabulary>Protein</Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/sarcocystic_neurona">
  <Category>Parasitology</Category>
  <Vocabulary>Sarcocystic neurona </Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/sperm">
  <Reference rdf:resource="http://www.merriam-webster.com/dictionary/sperm"/>
  <Definition>a male gamete</Definition>
  <Category>Urinalysis</Category>
  <Vocabulary>Sperm</Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/toxoplasma_sp.">
  <Category>Parasitology</Category>
  <Vocabulary>Toxoplasma sp.</Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/blood">
  <Reference rdf:resource="http://www.merriam-webster.com/dictionary/blood"/>
  <Definition>the fluid that circulates in the heart, arteries, capillaries, and veins of a vertebrate animal carrying nourishment and oxygen to and bringing away waste products from all parts of the body</Definition>
  <Category>Urinalysis</Category>
  <Vocabulary>Blood</Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/sodium">
  <Reference rdf:resource="http://www.merriam-webster.com/dictionary/sodium"/>
  <Definition>a silver-white soft waxy ductile element of the alkali metal group that occurs abundantly in nature in combined form and is very active chemically</Definition>
```

```
<Category>Urine Electrolytes</Category>
<Vocabulary>Sodium</Vocabulary>
<rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/anasakis_sp">
  <Reference rdf:resource="http://medical-dictionary.thefreedictionary.com/Anisakis"/>
  <Definition>a genus of nematodes that parasitize the stomachs of marine mammals and birds.</Definition>
  <Category>Parasitology</Category>
  <Vocabulary>Anasakis sp </Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description
  rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/nanophytes_salmincola">
  <Reference rdf:resource="http://medical-
  dictionary.thefreedictionary.com/Nanophyetus+salmincola"/>
  <Definition>A digenetic fish-borne fluke (family Nanophyetidae) of dogs and other fish-eating mammals; the vector of Neorickettsia helmintheca, the agent of salmon poisoning.</Definition>
  <Category>Parasitology</Category>
  <Vocabulary>Nanophytes salmincola </Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/casts">
  <Reference rdf:resource="https://en.wikipedia.org/wiki/Urinary_cast"/>
  <Definition>Urinary casts are cylindrical structures produced by the kidney and present in the urine in certain disease states. They form in the distal convoluted tubule and collecting ducts of nephrons, then dislodge and pass into the urine, where they can be detected by microscopy.</Definition>
  <Category>Urinalysis</Category>
  <Vocabulary>Casts</Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="">
  <j:0:contact>MMHMAP WG2</j:0:contact>
  <omv:hasCreator>Felimon Gayanilo</omv:hasCreator>
  <j:0:origVocManager>MMHMAP WG2</j:0:origVocManager>
  <omv:description>MMHMAP Vocabulary for laboratory descriptions</omv:description>
  <j:0:origMaintainerCode>mmhmap</j:0:origMaintainerCode>
  <omv:name>MMC MMHMAP Terminologies in Laboratory Procedures</omv:name>
  <rdf:type rdf:resource="http://www.w3.org/2002/07/owl#Ontology"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm">
  <rdf:type rdf:resource="http://www.w3.org/2002/07/owl#Class"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/campula Oblongata">
  <Category>Parasitology</Category>
  <Vocabulary>Campula oblongata</Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
```

```
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/comments">
  <Reference rdf:resource="http://www.dictionary.com/browse/comment"/>
  <Definition>a remark, observation, or criticism</Definition>
  <Category>Urinalysis</Category>
  <Vocabulary>Comments</Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/specific_gravity">
  <Reference>Refractometer or Chemstrip?
  http://www.merriam-webster.com/dictionary/specific%20gravity</Reference>
  <Definition>a measurement that indicates how dense a substance is by comparing it to the density of water</Definition>
  <Category>Urinalysis</Category>
  <Vocabulary>Specific Gravity</Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/sarcocystis_sp">
  <Reference rdf:resource="http://www.merriam-webster.com/medical/sarcocystis"/>
  <Definition>a genus of sporozoan protozoans of the order Sarcosporidia that form cysts in vertebrate muscle</Definition>
  <Category>Parasitology</Category>
  <Vocabulary>Sarcocystis sp</Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/cryptosporidium">
  <Reference rdf:resource="http://www.merriam-webster.com/dictionary/cryptosporidium"/>
  <Definition>any of a genus (Cryptosporidium of the order Coccidia) of protozoans parasitic in the gut of vertebrates including humans and sometimes causing diarrhea</Definition>
  <Category>Parasitology</Category>
  <Vocabulary>Cryptosporidium</Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/potassium">
  <Reference rdf:resource="https://en.wikipedia.org/wiki/Potassium_citrate"/>
  <Definition>A potassium level that is too high or too low can be serious. Abnormal levels may cause symptoms such as muscle cramps or weakness, nausea, diarrhea, or frequent urination. Other symptoms may include dehydration, low blood pressure, confusion, irritability, paralysis, and changes in heart rhythm.</Definition>
  <Category>Urine Electrolytes</Category>
  <Vocabulary>Potassium</Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/acanthocephalan">
  <Reference rdf:resource="http://www.dictionary.com/browse/acanthocephalan"/>
  <Definition>any parasitic worm of the phylum or class Acanthocephala, having a proboscis covered with recurved hooks.</Definition>
  <Category>Parasitology</Category>
  <Vocabulary>Acanthocephalan</Vocabulary>
```

```
<rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/Reference">
  <rdf:type rdf:resource="http://www.w3.org/1999/02/22-rdf-syntax-ns#Property"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/debris">
  <Reference rdf:resource="http://www.dictionary.com/browse/debris"/>
  <Definition>the remains of anything broken down or destroyed; ruins; rubble</Definition>
  <Category>Urinalysis</Category>
  <Vocabulary>Debris</Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/hematocrit">
  <Reference rdf:resource="http://www.merriam-webster.com/dictionary/hematocrit"/>
  <Definition>the ratio of the volume of red blood cells to the total volume of blood as determined by separation of red blood cells from the plasma usually by centrifugation</Definition>
  <Category>Urinalysis</Category>
  <Vocabulary>Hematocrit</Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/hemoglobin">
  <Reference rdf:resource="http://www.merriam-webster.com/dictionary/hemoglobin"/>
  <Definition>an iron-containing respiratory pigment of vertebrate red blood cells that consists of a globin composed of four subunits each of which is linked to a heme molecule, that functions in oxygen transport to the tissues after conversion to oxygenated form in the gills or lungs, and that assists in carbon dioxide transport back to the gills or lungs after surrender of its oxygen</Definition>
  <Category>Urinalysis</Category>
  <Vocabulary>Hemoglobin</Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/toxoplasma_gondii">
  <Reference rdf:resource="http://www.dictionary.com/browse/toxoplasma-gondii"/>
  <Definition>A sporozoan species that is an intracellular parasite in a variety of vertebrates and is the causative agent of toxoplasmosis.</Definition>
  <Category>Parasitology</Category>
  <Vocabulary>Toxoplasma gondii</Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/leukocytes">
  <Reference rdf:resource="http://www.merriam-webster.com/dictionary/Leukocytes"/>
  <Definition>white blood cell</Definition>
  <Category>Urinalysis</Category>
  <Vocabulary>Leukocytes</Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/giardia">
  <Reference rdf:resource="http://www.dictionary.com/browse/giardia"/>
  <Definition>any flagellate of the genus Giardia, parasitic in the intestines of vertebrates.</Definition>
```

```
<Category>Parasitology</Category>
<Vocabulary>Giardia </Vocabulary>
<rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/neospora_caninum">
  <Category>Parasitology</Category>
  <Vocabulary>Neospora caninum </Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/nematode">
  <Reference rdf:resource="http://www.dictionary.com/browse/nematode"/>
  <Definition>any unsegmented worm of the phylum Nematoda, having an elongated, cylindrical body; a roundworm.</Definition>
  <Category>Parasitology</Category>
  <Vocabulary>Nematode</Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/crystals">
  <Reference>Marine Mammal Health Monitoring and Analysis Platform (WG2)</Reference>
  <Definition>a body that is formed by the solidification of a chemical element, or a mixture.</Definition>
  <Category>Urinalysis</Category>
  <Vocabulary>Crystals</Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/turbidity">
  <Reference rdf:resource="http://www.merriam-webster.com/dictionary/Turbidity"/>
  <Definition>thick or opaque with or as if with roiled sediment </Definition>
  <Category>Urinalysis</Category>
  <Vocabulary>Turbidity</Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/otostrongylus_sp">
  <Reference rdf:resource="http://medical-dictionary.thefreedictionary.com/Otostrongylus"/>
  <Definition>a genus of lungworms in the family Crenosomatidae.</Definition>
  <Category>Parasitology</Category>
  <Vocabulary>Otostrongylus sp</Vocabulary>
  <rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/Vocabulary">
  <rdf:type rdf:resource="http://www.w3.org/1999/02/22-rdf-syntax-ns#Property"/>
</rdf:Description>
<rdf:Description rdf:about="https://xdomes.org/ont/mmhmap/lab_procedures/osmolality">
  <Reference rdf:resource="http://www.merriam-webster.com/dictionary/osmolality"/>
  <Definition>the concentration of an osmotic solution especially when measured in osmols or milliosmols per 1000 grams of solvent</Definition>
  <Category>Urinalysis</Category>
  <Vocabulary>Osmolality</Vocabulary>
```

```
<rdf:type rdf:resource="https://xdomes.org/ont/mmhmap/lab_procedures/varTerm"/>
</rdf:Description>
</rdf:RDF>
```